




















CIFS Settings

NetBIOS name:	<input type="text" value="freenas.local"/>	
Workgroup:	<input type="text" value="WORKGROUP"/>	
Description:	<input type="text" value="FreeNAS Server"/>	
DOS charset:	<input type="text" value="CP437"/> 	
UNIX charset:	<input type="text" value="UTF-8"/> 	
Log level:	<input type="text" value="Minimum"/> 	
Use syslog:	<input type="checkbox"/>	
Local Master:	<input checked="" type="checkbox"/>	
Domain logons:	<input type="checkbox"/>	
Time Server for Domain:	<input checked="" type="checkbox"/>	
Guest account:	<input type="text" value="guest"/> 	
File mask:	<input type="text"/>	
Directory mask:	<input type="text"/>	
Allow Empty Password:	<input checked="" type="checkbox"/>	
Auxiliary parameters:	<input type="text"/>	

	
Unix Extensions:	<input checked="" type="checkbox"/> 
Zeroconf share discovery:	<input type="checkbox"/> 
Hostnames lookups:	<input checked="" type="checkbox"/> 
Server minimum protocol:	SMB3  
Server maximum protocol:	SMB2  
Allow execute always:	<input checked="" type="checkbox"/> 
Obey pam restrictions:	<input type="checkbox"/> 
Bind IP Addresses:	<div><input checked="" type="checkbox"/> 192.168.0.182 </div>
Idmap Range Low:	90,000,001
Idmap Range High:	100,000,000
<div>OKCancel</div>	

Edit

Path:

/mnt/disk1

Browse

Use as home share:

☐

Name:

Freenas

Comment:

Apply Default Permissions:

☒

Export Read Only:

☐

Browsable to Network
Clients:

☒

Export Recycle Bin:

☐

Show Hidden Files:

☒

Allow Guest Access:

☒

Only Allow Guest Access:

☐

Hosts Allow:



Hosts Deny:



VFS Objects:

Available

aio_pthread
audit
extd_audit
fake_perms
netatalk
streams_depot

<<
>>

Selected

Periodic Snapshot Task:

Auxiliary Parameters:



OK

Cancel

Delete

Basic Mode