

Jails configuration changing setting from static to DHCP

Scenario

When you have the jail general configuration set to DHCP

Jails

JailsStorageTemplatesConfiguration

Jail Root:

/mnt/raid/jail_root

Browse

IPv4 DHCP:

☒

and create a jail with a SIP

Add Jail

Jail Name:

new_sip_jail

Template:

IPv4 DHCP:

☐

IPv4 address:

10.10.10.6

IPv4 netmask:

/24 (255.255.255.0)

IPv4 bridge address:

IPv4 bridge netmask:

IPv4 default gateway:


10.10.10.1







It shows correct after creation

Jail	IPv4 Address	Autostart	Status	Type
zm_jail	DHCP	false	Stopped	standard
test1	DHCP:10.10.10.41	true	Running	standard
new_sip_jail	10.10.10.6	true	Running	standard

If you click the setting icon or double-click the jail

Jail	IPv4 Address	Autostart	Status	Type
zm_jail	DHCP	false	Stopped	standard
test1	DHCP:10.10.10.41	true	Running	standard
new_sip_jail	10.10.10.6	true	Running	standard



It changes the jail configuration to DHCP and erases the SIP configuration

Edit Jail

Jail Name:

new_sip_jail

Type:

standard

IPv4 DHCP:

☒

IPv4 address:

DHCP

IPv4 netmask:

/24 (255.255.255.0)

IPv4 aliases:

IPv4 bridge address:

IPv4 bridge netmask:

IPv4 bridge aliases:

IPv4 default gateway:

10.10.10.1

IPv6 Autoconfigure:

☐

IPv6 address: