

```

isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 [0] PortID 0x010100 Departed because of Gone Device Timeout
ctlfeasync: WWPN 0x500143800635db76 port 0x010100 path 1 target 0 left
isp1: Chan 0 Stopping Gone Device Timer @ 870
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 (INI)
added
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 (INI) arrived
ctlfeasync: WWPN 0x500143800635db76 port 0x010100 path 1 target 0 arrived
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 changes PRLI Word
3 (REC,RetryID,Retry,CNFRM,INI,RdXfrDis)
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) changed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 Starting Gone Device Timer with 30 seconds time now 893
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120b7c] seq 0 nc 1 sts 0x29 flg 0xa060 sns

```

```

0 resid 0 FIN
ispl: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
ispl: Chan 0 Loop changed
ispl: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
ispl: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
ispl: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
ispl: Chan 0 Checking FC state
ispl: Chan 0 FC loop scan
ispl: Chan 0 FC loop scan done (no loop)
ispl: Chan 0 FC fabric scan
ispl: Chan 0 Got 2 ports back from name server
ispl: Chan 0 Checking fabric port 0x010000
ispl: Chan 0 Port 0x010000 is our
ispl: Chan 0 Checking fabric port 0x010200
ispl: Chan 0 Port 0x010200@0x0002 is valid
ispl: Chan 0 FC fabric scan done
ispl: Chan 0 FC PDB sync
ispl: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
ispl: Chan 0 FC PDB sync done
ispl: Chan 0 FC got to Ready state
ispl: Chan 0 Loop is up
ispl: Chan 0 sleep for 0 seconds
ispl: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
ispl: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
ispl: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
ispl: Chan 0 Loop changed
ispl: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
ispl: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
ispl: Chan 0 Checking FC state
ispl: Chan 0 FC loop scan
ispl: Chan 0 FC loop scan done (no loop)
ispl: Chan 0 FC fabric scan
ispl: Chan 0 Got 2 ports back from name server
ispl: Chan 0 Checking fabric port 0x010000
ispl: Chan 0 Port 0x010000 is our
ispl: Chan 0 Checking fabric port 0x010200
ispl: Chan 0 Port 0x010200@0x0002 is valid
ispl: Chan 0 FC fabric scan done
ispl: Chan 0 FC PDB sync
ispl: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
ispl: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
ispl: CTIO returned by f/w- Port Logout
ispl: isp_handle_platform_ctio: CTIO7[120ba8] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
ispl: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
ispl: Chan 0 FC PDB sync done
ispl: Chan 0 FC got to Ready state
ispl: Chan 0 Loop is up
ispl: Chan 0 sleep for 0 seconds
ispl: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
ispl: Chan 0 Loop changed
ispl: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
ispl: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
ispl: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
ispl: Chan 0 Checking FC state
ispl: Chan 0 FC loop scan
ispl: Chan 0 FC loop scan done (no loop)
ispl: Chan 0 FC fabric scan
ispl: Chan 0 Got 2 ports back from name server
ispl: Chan 0 Checking fabric port 0x010000
ispl: Chan 0 Port 0x010000 is our

```

```

isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120bd4] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)

```

```

isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120c00] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done

```

```

isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120c2c] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)

```

```

isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120c58] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done

```

```

isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120c84] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120cb0] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)

```

```

isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120cdc] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid

```



```

isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120d08] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered

```

```

isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120d34] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1

```

```

(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120d60] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120d8c] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted

```

```

isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120db8] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync

```

```

isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120de4] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed

```

```

isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120e10] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1

```

```

isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[120e3c] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: [0x120e94] now sending synthesized status orig_dl=3064 xfered=28 bit=0
isp1: [0x120ec0] now sending synthesized status orig_dl=3064 xfered=32 bit=0
isp1: [0x120eec] now sending synthesized status orig_dl=4096 xfered=24 bit=0
isp1: [0x120f18] now sending synthesized status orig_dl=255 xfered=96 bit=0
isp1: [0x120f44] now sending synthesized status orig_dl=3064 xfered=28 bit=0
isp1: [0x120f70] now sending synthesized status orig_dl=255 xfered=48 bit=0
isp1: [0x120f9c] now sending synthesized status orig_dl=3064 xfered=28 bit=0
isp1: [0x120ff4] now sending synthesized status orig_dl=255 xfered=96 bit=0
isp1: [0x121020] now sending synthesized status orig_dl=255 xfered=48 bit=0
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[12104c] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed

```

```

isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[121078] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan

```



```

ispl: Chan 0 Got 2 ports back from name server
ispl: Chan 0 Checking fabric port 0x010000
ispl: Chan 0 Port 0x010000 is our
ispl: Chan 0 Checking fabric port 0x010200
ispl: Chan 0 Port 0x010200@0x0002 is valid
ispl: Chan 0 FC fabric scan done
ispl: Chan 0 FC PDB sync
ispl: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
ispl: Chan 0 FC PDB sync done
ispl: Chan 0 FC got to Ready state
ispl: Chan 0 Loop is up
ispl: Chan 0 sleep for 0 seconds
ispl: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
ispl: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
ispl: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
ispl: Chan 0 Loop changed
ispl: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
ispl: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
ispl: Chan 0 Checking FC state
ispl: Chan 0 FC loop scan
ispl: Chan 0 FC loop scan done (no loop)
ispl: Chan 0 FC fabric scan
ispl: Chan 0 Got 2 ports back from name server
ispl: Chan 0 Checking fabric port 0x010000
ispl: Chan 0 Port 0x010000 is our
ispl: Chan 0 Checking fabric port 0x010200
ispl: Chan 0 Port 0x010200@0x0002 is valid
ispl: Chan 0 FC fabric scan done
ispl: Chan 0 FC PDB sync
ispl: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
ispl: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
ispl: CTIO returned by f/w- Port Logout
ispl: isp_handle_platform_ctio: CTIO7[1210a4] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
ispl: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
ispl: Chan 0 FC PDB sync done
ispl: Chan 0 FC got to Ready state
ispl: Chan 0 Loop is up
ispl: Chan 0 sleep for 0 seconds
ispl: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
ispl: Chan 0 Loop changed
ispl: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
ispl: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
ispl: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
ispl: Chan 0 Checking FC state
ispl: Chan 0 FC loop scan
ispl: Chan 0 FC loop scan done (no loop)
ispl: Chan 0 FC fabric scan
ispl: Chan 0 Got 2 ports back from name server
ispl: Chan 0 Checking fabric port 0x010000
ispl: Chan 0 Port 0x010000 is our
ispl: Chan 0 Checking fabric port 0x010200
ispl: Chan 0 Port 0x010200@0x0002 is valid
ispl: Chan 0 FC fabric scan done
ispl: Chan 0 FC PDB sync
ispl: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
ispl: Chan 0 FC PDB sync done
ispl: Chan 0 FC got to Ready state
ispl: Chan 0 Loop is up
ispl: Chan 0 sleep for 0 seconds
ispl: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered

```

```

isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[1210d0] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our

```

```

isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[1210fc] seq 0 nc 1 sts 0x29 flg 0xa060 sns
0 resid 0 FIN
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 2 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: CTIO returned by f/w- Port Logout

```

```

isp1: isp_handle_platform_ctio: CTIO7[121128] seq 0 nc 1 sts 0x29 flg 0xa022 sns
0 resid 0 FIN
isp1: CTIO returned by f/w- Port Logout
isp1: isp_handle_platform_ctio: CTIO7[121128] seq 1 nc 1 sts 0x29 flg 0xa0a0 sns
0 resid 0 FIN
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x7 reason 0x17)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 vtgt 0 deleted
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PORT LOGOUT (sub-status 0x6) for N-port handle 0x1
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 3 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010100
isp1: Chan 0 Port 0x010100 handle 0x1 is dead (16394)
isp1: Chan 0 Port 0x010100 is not logged in
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) gone zombie
isp1: Chan 0 PLOGX Logout PortID 0x010100 nphdl 0x1
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Port Database Changed (nphdl 0x1 state 0x4 reason 0x6)
isp1: Chan 0 Loop changed
isp1: Chan 0 WWPN 0x500143800635db76 PortID 0x010100 handle 0x1 reentered
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 Checking FC state
isp1: Chan 0 FC loop scan
isp1: Chan 0 FC loop scan done (no loop)
isp1: Chan 0 FC fabric scan
isp1: Chan 0 Got 3 ports back from name server
isp1: Chan 0 Checking fabric port 0x010000
isp1: Chan 0 Port 0x010000 is our
isp1: Chan 0 Checking fabric port 0x010100
isp1: Chan 0 Port 0x010100@0x0001 is valid
isp1: Chan 0 Checking fabric port 0x010200
isp1: Chan 0 Port 0x010200@0x0002 is valid
isp1: Chan 0 FC fabric scan done
isp1: Chan 0 FC PDB sync
isp1: Chan 0 [0] WWPN 0x500143800635db76 PortID 0x010100 handle 0x1
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 [2] WWPN 0x2101001b32afc740 PortID 0x010200 handle 0x2
(REC,RetryID,Retry,CNFRM,INI,RdXfrDis) stayed
isp1: Chan 0 FC PDB sync done
isp1: Chan 0 FC got to Ready state
isp1: Chan 0 Loop is up
isp1: Chan 0 sleep for 0 seconds
isp1: Chan 0 Stopping Gone Device Timer @ 1019
isp1: [0x1211d8] now sending synthesized status orig_dl=255 xfered=40 bit=0
isp1: [0x121204] now sending synthesized status orig_dl=255 xfered=123 bit=0
isp1: [0x121230] now sending synthesized status orig_dl=255 xfered=18 bit=0
isp1: [0x1212b4] now sending synthesized status orig_dl=255 xfered=40 bit=0

```

```

isp1: [0x1212e0] now sending synthesized status orig_dl=255 xfered=123 bit=0
isp1: [0x12130c] now sending synthesized status orig_dl=255 xfered=18 bit=0
isp1: [0x1213e8] now sending synthesized status orig_dl=255 xfered=40 bit=0
isp1: [0x121414] now sending synthesized status orig_dl=255 xfered=123 bit=0
isp1: [0x121440] now sending synthesized status orig_dl=255 xfered=18 bit=0
isp1: [0x1214c4] now sending synthesized status orig_dl=255 xfered=40 bit=0
isp1: [0x1214f0] now sending synthesized status orig_dl=255 xfered=123 bit=0
isp1: [0x12151c] now sending synthesized status orig_dl=255 xfered=18 bit=0
isp1: [0x121650] now sending synthesized status orig_dl=192 xfered=24 bit=0
isp1: [0x12167c] now sending synthesized status orig_dl=255 xfered=40 bit=0
isp1: [0x1216a8] now sending synthesized status orig_dl=255 xfered=8 bit=0
isp1: [0x1216d4] now sending synthesized status orig_dl=255 xfered=64 bit=0
isp1: [0x12172c] now sending synthesized status orig_dl=192 xfered=24 bit=0
isp1: [0x121758] now sending synthesized status orig_dl=192 xfered=32 bit=0
isp1: [0x1218e4] now sending synthesized status orig_dl=32 xfered=16 bit=0
isp1: [0x121a44] now sending synthesized status orig_dl=192 xfered=24 bit=0
isp1: [0x121a70] now sending synthesized status orig_dl=255 xfered=40 bit=0
isp1: [0x121a9c] now sending synthesized status orig_dl=255 xfered=8 bit=0
isp1: [0x121ac8] now sending synthesized status orig_dl=255 xfered=64 bit=0
isp1: [0x121b20] now sending synthesized status orig_dl=192 xfered=24 bit=0
isp1: [0x121b4c] now sending synthesized status orig_dl=192 xfered=32 bit=0
isp1: [0x121cd8] now sending synthesized status orig_dl=32 xfered=16 bit=0
isp1: [0x121d88] now sending synthesized status orig_dl=192 xfered=116 bit=0
isp1: [0x121db4] now sending synthesized status orig_dl=255 xfered=64 bit=0
isp1: [0x121e38] now sending synthesized status orig_dl=192 xfered=116 bit=0
isp1: [0x121e64] now sending synthesized status orig_dl=255 xfered=64 bit=0
isp1: [0x121f98] now sending synthesized status orig_dl=192 xfered=116 bit=0
isp1: [0x121fc4] now sending synthesized status orig_dl=255 xfered=64 bit=0
isp1: [0x1229bc] now sending synthesized status orig_dl=192 xfered=116 bit=0
isp1: [0x1229e8] now sending synthesized status orig_dl=255 xfered=64 bit=0
isp1: [0x124618] now sending synthesized status orig_dl=192 xfered=116 bit=0
isp1: [0x12469c] now sending synthesized status orig_dl=192 xfered=116 bit=0
isp1: [0x123540] now sending synthesized status orig_dl=3064 xfered=28 bit=0
isp1: [0x12356c] now sending synthesized status orig_dl=3064 xfered=32 bit=0
isp1: [0x123598] now sending synthesized status orig_dl=4096 xfered=24 bit=0
isp1: [0x1235f0] now sending synthesized status orig_dl=3064 xfered=28 bit=0
isp1: [0x12361c] now sending synthesized status orig_dl=255 xfered=96 bit=0
isp1: [0x123648] now sending synthesized status orig_dl=3064 xfered=28 bit=0
isp1: [0x123674] now sending synthesized status orig_dl=255 xfered=48 bit=0
isp1: [0x1236cc] now sending synthesized status orig_dl=255 xfered=96 bit=0
isp1: [0x1236f8] now sending synthesized status orig_dl=255 xfered=48 bit=0
isp1: [0x123908] now sending synthesized status orig_dl=3064 xfered=28 bit=0
isp1: [0x123934] now sending synthesized status orig_dl=3064 xfered=32 bit=0
isp1: [0x123960] now sending synthesized status orig_dl=4096 xfered=24 bit=0
isp1: [0x12398c] now sending synthesized status orig_dl=3064 xfered=28 bit=0
isp1: [0x1239b8] now sending synthesized status orig_dl=255 xfered=96 bit=0
isp1: [0x1239e4] now sending synthesized status orig_dl=3064 xfered=28 bit=0
isp1: [0x123a10] now sending synthesized status orig_dl=255 xfered=48 bit=0
isp1: [0x123a68] now sending synthesized status orig_dl=255 xfered=96 bit=0
isp1: [0x123a94] now sending synthesized status orig_dl=255 xfered=48 bit=0

```